

65 300/110 ED





MOUNTING INTERFACE



CONFIGURATIONS (see Hydraulic symbols table)

VR4M-SP: check valve on line P.

- VR4M-ST: check valve on line T.

PERFORMANCES (measured with mineral oil of viscosity 36cSt at 50°C)


Maximum operating pressure Check valve cracking pressure	bar bar	320 0,5 - 8
Maximum flow rate in the controlled lines and in the free lines	l/min	100
Ambient temperature range	°C	-20 / +50
Fluid temperature range	°C	-20 / +80
Fluid viscosity range	cSt	10 ÷ 400
Recommended viscosity	cSt	25
Degree of fluid contamination	According to ISO 4406:1999 class 20/18/15	
Mass	kg	2,3

VR4M DIRECT CHECK VALVE SERIES 50

MODULAR VERSION ISO 4401-05 (CETOP 05)


p max 320 barQ max 100 l/min

OPERATING PRINCIPLE




- The VR4M valve is a check valve made as a modular version with mounting surface according to the ISO 4401 (CETOP RP 121H) standards.
- It is used to avoid oil backflows and self-emptying of lines, or to generate backpressures.
- It can be assembled quickly under the ISO 4401-05 (CETOP 05) directional solenoid valves without use of pipes, using suitable tie-rods or bolts.
- It is available in two versions with check valve on line P or T.


HYDRAULIC SYMBOLS



1 - IDENTIFICATION CODE




2 - CHARACTERISTIC CURVES (values obtained with viscosity of 36 cSt at 50°C)



3 - HYDRAULIC FLUIDS

Use mineral oil-based hydraulic fluids HL or HM type, according C 6743-4. For these fluids, use NBR seals. For fluids HFDR type (phosphate esters) use FPM seals (code V). For the use of ther kinds of fluid such as HFA, HFB, HFC, please consult our technical department. Using fluids at temperatures higher than 80 °C rations a faster degradation of the fluid and of the seals characteristics. The fluid must be preserved in its physical and chemical characteristics.

4 - OVERALL AND MOUNTING DIMENSION





DUPLOMATIC OLEODINAMICA S.p.A.

20015 PARABIAGO (MI) • Via M. Re Depaolini 24 Tel. +39 0331.895.111 Fax +39 0331.895.339 www.duplomatic.com • e-mail: sales.exp@duplomatic.com